

DBeaver 22.2.5 - familia

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator

Enter a part of object name here

botciqev_aulas - 162.215.240.200:3305

Databases

- botciqev_bd
 - Tables
 - familia 16K
 - Views
 - Indexes
 - Procedures
 - Triggers
 - Events
- Users
- Administer

botciqev_bd *familia

Properties Data ER Diagram

botciqev_aulas Databases botciqev_bd Tables familia

familia Enter a SQL expression to filter results (use Ctrl+Space)

id_nome	nome	idade
[NULL]	joao	27

Data error

Error synchronizing data with database

Reason:
SQL Error [08S01]: The last packet successfully received from the server was 31,534 milliseconds ago. The last packet sent successfully to the server was 31,758 milliseconds ago. is longer than the server configured value of 'interactive_timeout'. You should consider either expiring and/or testing connection validity before use in your application, increasing the server configured values for client timeouts, or using the Connector/J connection property 'autoReconnect=true' to avoid this problem.

OK << Details

SQL Error [08S01]: The last packet successfully received from the server was 31,534 milliseconds ago. The last packet sent successfully to the server was 31,758 milliseconds ago. is longer than the server configured value of 'interactive_timeout'. You sho
The last packet successfully received from the server was 31,534 milliseconds ago. The last packet sent successfully to the server was 31,758 milliseconds ago. is longer than the server configured value of 'interactive_timeout'. You should consider eithe
The last packet successfully received from the server was 31,534 milliseconds ago. The last packet sent successfully to the server was 31,758 milliseconds ago. is longer than the server configured value of 'interactive_timeout'. You should consider eithe
Can not read response from server. Expected to read 4 bytes, read 0 bytes before connection was unexpectedly lost.

phpMyAdmin

Recente Favoritos

batciqev

Servidor: localhost:3306

Base de Dados SQL Estado Exportar Importar Configurações Variáveis Mapas de Caracteres Mais

Edita	character set system	utf8
Edita	character sets dir	/usr/share/percona-server/charsets/
Edita	check proxy users	OFF
Edita	collation connection	utf8_unicode_ci
	(Valor de sessão)	utf8mb4_unicode_ci
Edita	collation database	utf8_unicode_ci
	(Valor de sessão)	utf8_general_ci
Edita	collation server	utf8_unicode_ci
Edita	completion type	NO_CHAIN
Edita	concurrent insert	AUTO
Edita	connect timeout	20
Edita	core file	OFF
Edita	csv mode	
Edita	datadir	/var/lib/mysql/
Edita	date format	%Y-%m-%d
Edita	datetime format	%Y-%m-%d %H:%i:%s
Edita	default authentication plugin	mysql_native_password
Edita	default password lifetime	0
Edita	default storage engine	InnoDB

Erro

Mensagens do MySQL :

#1227 - Acesso negado. Você precisa o privilégio SUPER para essa operação

